



Ringsted Kongres center

On the following pages, you will find the technical specifications for Ringsted Kongrescenter as per May 2021.

Any contract is signed "as per venue specs" unless otherwise agreed in the contract meaning, that if you need any additional equipment, feel free to bring it or ask us for a price for sub-hiring.

The basic technical package in the Concert Hall includes the following:

- Fully covered speaker system with L/R access on stage
- 12 LED profile lamps for front lighting
- Light control for front lighting

Additional technical packages can be purchased, including microphones, mixer, monitors, camera setup, streaming equipment, concert lighting, decorative lighting, and much more. Contact us for further details.

Audience lights is controlled by up / down wireless remote (no dmx).

Please feel free to contact us, if you have any questions.

Technical Specifications - Concert Hall
May 2021



Ringsted
Kongres
center

Sound:

Main PA:

16 x L´Acoustics Kara (8 per side)
4 x L´Acoustics SB28 sub (2 per side)
2 x L´Acoustics SB18 (center sub)

Front Fill:

4 x L´Acoustics 8xt

Delay:

4 x L´Acoustics Arcs Wide (2 per side)

Monitor:

4 x L´Acoustic X12

Amps:

All speakers run on L´acoustics amps

Mixer:

Yamaha QL5
Yamaha Rio3224-D Stagerack 32in / 16out / 4aes-ebu out
Multi 2x Ethercon | 4x Aes/Ebu | 1x 16A/1F 80 Meter

Mic / DI / Stands:

Mic:

6 Microphone Sennheiser E 604
1 Microphone Sennheiser Md 421
1 Microphone Shure Beta 52
6 Microphone Shure Beta 58A
8 Microphone Shure Sm 57
2 Microphone Akg C 214
5 Microphone Atm 33A
4 Microphone Dpa 4099 Lo Sens
1 Microphone Shure Beta 91

Linedriver:

10 Di Linedriver Countryman/La/Klark

Stand:

2 Microphone Stand (long legs)
6 Microphone Stand (short legs)
4 Microphone Stand Floor (Large)
6 Microphone Stand Floor (Small)
2 Microphone Stand Solist (straight)

Misc:

1 x Microsoft surface with L´Acoustic LA-Manager

Technical Specifications - Concert Hall
May 2021



Ringsted
Kongres
center

Light:

Control:

- 1 x Avolites Tiger Touch II
- 1 x 2 universe DMX512 Multicore

Dimmer:

- 2 x 12 x 2,0kW dimmers with full patch

Standard hanging frontlight:

- 12 x Selecon SPX 800w 15-35 degree

Additional light equipment:

- 8 x Robe Robin 150 wash
- 4 x Robe Robin Viva CMY
- 16 x R7 Sharpy Beam
- 6 x Fresnel 650w

Smoke / haze:

- 2 x Tour Haze II

Followspot:

- 1 x 1000w HMI

Drapery/light pipes:

- 13 x Manual bars 100kg
- 6 x Motorised LX-bars 500kg

Power:

Stage left: (125/3 A total) with following outlets



- 1x 125/3A
- 2x 63/3A (1x63/3A for House lights)
- 4x 32/3A
- 4x 16/3A

Stage Right: (125/3 A total) with following outlets

- 1x 125/3A
- 2x 63/3A
- 4x 32/3A
- 4x 16/3A



LOAD IN
Width: 201 cm
Height: 137 cm



Seating overview:

18	16	14	12	10	8	6	4	2	9
20	18	16	14	12	10	8	6	4	8
22	20	18	16	14	12	10	8	6	7
24	22	20	18	16	14	12	10	8	6
26	24	22	20	18	16	14	12	10	5
28	26	24	22	20	18	16	14	12	4
28	26	24	22	20	18	16	14	12	3
28	26	24	22	20	18	16	14	12	2
28	26	24	22	20	18	16	14	12	1

Balkon højre

1	3	5	7	9	11	13	15	17	9				
1	3	5	7	9	11	13	15	17	19				
1	3	5	7	9	11	13	15	17	19	21			
1	3	5	7	9	11	13	15	17	19	21	23		
1	3	5	7	9	11	13	15	17	19	21	23	25	
1	3	5	7	9	11	13	15	17	19	21	23	25	27
1	3	5	7	9	11	13	15	17	19	21	23	25	27
1	3	5	7	9	11	13	15	17	19	21	23	25	27
1	3	5	7	9	11	13	15	17	19	21	23	25	27
1	3	5	7	9	11	13	15	17	19	21	23	25	27

Balkon venstre

28	26	24	22	20	18	10	16	14	12	10	8	6	4	2
28	26	24	22	20	18	9	16	14	12	10	8	6	4	2
28	26	24	22	20	18	8	16	14	12	10	8	6	4	2
28	26	24	22	20	18	7	16	14	12	10	8	6	4	2
28	26	24	22	20	18	6	16	14	12	10	8	6	4	2
28	26	24	22	20	18	5	16	14	12	10	8	6	4	2
28	26	24	22	20	18	4	16	14	12	10	8	6	4	2
28	26	24	22	20	18	3	16	14	12	10	8	6	4	2
28	26	24	22	20	18	2	16	14	12	10	8	6	4	2
28	26	24	22	20	18	1	16	14	12	10	8	6	4	2

Tribune højre

1	3	5	7	9	11	13	15	10	17	19	21	23	25	27
1	3	5	7	9	11	13	15	9	17	19	21	23	25	27
1	3	5	7	9	11	13	15	8	17	19	21	23	25	27
1	3	5	7	9	11	13	15	7	17	19	21	23	25	27
1	3	5	7	9	11	13	15	6	17	19	21	23	25	27
1	3	5	7	9	11	13	15	5	17	19	21	23	25	27
1	3	5	7	9	11	13	15	4	17	19	21	23	25	27
1	3	5	7	9	11	13	15	3	17	19	21	23	25	27
1	3	5	7	9	11	13	15	2	17	19	21	23	25	27
1	3	5	7	9	11	13	15	1	17	19	21	23	25	27

Tribune venstre

32	30	28	26	14	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	14		
32	30	28	26	24	22	13	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	13
32	30	28	26	24	22	12	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	12
32	30	28	26	24	22	11	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	11
32	30	28	26	24	22	10	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	10
32	30	28	26	24	22	9	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	9
32	30	28	26	24	22	8	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	8
32	30	28	26	24	22	7	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	7
32	30	28	26	24	22	6	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	6
32	30	28	26	24	22	5	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	5
32	30	28	26	24	22	4	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	4
32	30	28	26	24	22	3	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	3
32	30	28	26	24	22	2	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	2
32	30	28	26	24	22	1	20	18	16	14	12	10	8	6	4	2	1	3	5	7	9	11	13	15	17	19	21	1

Gulv højre

Gulv venstre

STAGE


Ringsted Kongrescenter
Nørretorv 55
DK-4100 Ringsted

www.ringsted-kongrescenter.dk
Main phone: +45 57 67 11 01

Load-in area are located behind the building. Ramp height: 137cm
Smaller vehicles goes to the side of the building.

Stage manager:

Frank Dyring
+45 28 40 11 22
frdy@ringsted.dk



Please don't hesitate to contact us, if you have any questions.

We are looking forward to see you.