Ringsted Kongres center

On the following pages, you will find the technical specifications for Ringsted Kongrescenter as per November 2026.

Any contract is signed "as per venue specs" unless otherwise agreed in the contract meaning, that if you need any additional equipment, feel free to bring it or ask us for a price for sub-hiring.

Audience lights is controlled by up / down wireless remote (no dmx).

Please feel free to contact us, if you have any questions.

Ringsted Kongres center

Sound:

Main PA:
16 x L´Acoustics Kara (8 per side)
4 x L´Acoustics SB28 sub (2 per side)
2 x L´Acoustics SB18 (center sub)

Front Fill:
6 x L´Acoustics 8xt

Delay:
4 x L´Acoustics Arcs Wide (2 per side)

Monitor:
4 x L-´Acoustic X12

Amps:
All speakers run on L´acoustics amps

Mixer:
Allen & Heath, dLive C-3500 with DM48 rack
Multi 2x Ethercon | 4x AES/EBU | 1x 16A/1F 95 meters

Mic / DI / Stands:

Mic:
6 Microphone Sennheiser E 604
1 Microphone Sennheiser MD 421
1 Microphone Shure Beta 52
6 Microphone Shure Beta 58A
8 Microphone Shure SM 57
2 Microphone AKG C 214
5 Microphone ATM 33A
4 Microphone DPA 4099 Lo Sens
1 Microphone Shure Beta 91

Wireless:
6 Shure ULXD4D, Dual-Channel Digital Wireless Receiver
6 Shure ULXD1, Digital bodypack transmitter
6 Shure ULXD2, Beta58 - Digital handheld transmitter

Linedriver:
10 Di Linedriver Countryman/La/Klark

Stand:
2 Microphone Stand (long legs)
6 Microphone Stand (short legs)
4 Microphone Stand Floor (Large)
6 Microphone Stand Floor (Small)
2 Microphone Stand Solist (straight)

Misc:
1 x laptop with L´Acoustic LA-Manager / 10easy

Ringsted Kongres center

Light:

Control:

1 x Avolites D7 - 215
1 x 4 universe DMX512 Multicore

Standard hanging frontlight:

14 x HYPERION PROFILE LED 200W WW 3000K 15-30 degree

Additional light equipment:

24 x Robe Robin 350 wash
18 x Robe Esprite
8 x HYPERION FRESNEL LED 200W WW 3000K

Smoke / haze:

1 x Antari CH1 Cinema hazer

Drapery/light pipes:

14 x Motorised LX-bars

Power:

Stage left: (125/3 A total) with following outlets

1x 125/3A
2x 63/3A (1x63/3A for House lights)
4x 32/3A
4x 16/3A

Stage Right: (125/3 A total) with following outlets


1x 125/3A
2x 63/3A
4x 32/3A
4x 16/3A

Ringsted Kongres center

Stage overview:

Technical Specifications - Concert Hall
November 2026

Seating overview:




Ringsted Kongrescenter
Nørretorv 55
DK-4100 Ringsted

www.ringsted-kongrescenter.dk

Main phone: +45 57 67 11 01

Load-in area are located behind the building. Ramp height: 137cm
Smaller vehicles goes to the side of the building.



Stage manager:
Sjak Christiansen
+45 4026 3469
sceneteknik@ringsted.dk

Please don't hesitate to contact us, if you have any questions.

We are looking forward to see you.